Newzen Consultants Bangalore

NZ/QC/YPD/T&F-W3/2018-19/P1-BC8

Date: 21-05-2018

**1.TEST REPORT ON BITUMINOUS MIXES :**

**(BITUMEN EXTRACTION TEST & GRADATION TEST)**

**Sub**: To determine the percentage of bitumen and gradation for BC mix sample.

{Project*: Pkg 1, 1.Improvement of drains and resurfacing to roads in SFS 208 area in ward no.03, Attur.
2.Improvement of drains and resurfacing to roads in SFS 407 area in ward no.03, Attur.
3.Improvement of drains and resurfacing to roads in SFS 707 area in ward no.03, Attur.
4.Improvement of drains and resurfacing to roads in Industrial area in ward no.03, Attur.
5.Improvement of Roads and drains in CHS 707 area in ward no.03, Attur.}

**Ref.**: Material testing/PMC/17-18,

Report Required for: Assistant Executive Engineer,
Yelahanka Project Division,
BBMP, Bangalore.

Name of the Agency/Contractor*: Sri. BB Umesha (M/s SMLP Constructions & Asphalt).

## TEST RESULTS

A. Type of Construction : **Bituminous Concrete**

1. The bitumen content obtained after subjecting the sample for Bitumen Extraction test = **5.44 %**

2. **Gradation Test**

**TABLE 1.1**

| Sieve Size, mm | Percent by Weight passing the Sieve from the sample supplied (Obtained Gradation) | Gradation requirement as per Table 500-17 of MORTH Specfications-2013 BC (Grading - 2) |
|---|---|---|
| 19.0 | **100** | 100 |
| 13.2 | **96.55** | 90-100 |
| 9.5 | **84.87** | 70-88 |
| 4.75 | **66.23** | 53-71 |
| 2.36 | **55.31** | 42-58 |
| 1.18 | **43.76** | 34-48 |
| 0.600 | **33.49** | 26-38 |
| 0.300 | **25.98** | 18-28 |
| 0.150 | **17.23** | 12-20 |
| 0.075 | **7.90** | 4-10 |

KIRAN. R
M.E, (Civil-Engg)

AE



For Newzen Consultants Bangalore

Proprietor

NEWZEN CONSULTANT BANGALORE, #13,10TH MAIN ROAD 2ND CROSS JNANAJYOTHI NAGARA,
JNANABHARATHI, BANGALORE-560056. CELL NO: +91 8792620231, 080 23240187
EMAIL:newzen576@gmail.com

Newzen Consultants Bangalore

NZ/QC/YPD/T&F-W3/2018-19/P1-BS8

Date: 22-05-2018

**1.TEST REPORT ON BITUMINOUS MIXES :**

**(STABILITY OF BITUMINOUS MIX)**

**Sub**: To determine the stability of bituminous mix for BC mix sample.

{Project*: Pkg 1, 1.Improvement of drains and resurfacing to roads in SFS 208 area in ward no.03, Attur.
2.Improvement of drains and resurfacing to roads in SFS 407 area in ward no.03, Attur.
3.Improvement of drains and resurfacing to roads in SFS 707 area in ward no.03, Attur.
4.Improvement of drains and resurfacing to roads in Industrial area in ward no.03, Attur.
5.Improvement of Roads and drains in CHS 707 area in ward no.03, Attur.}

**Ref.**: Material testing/PMC/17-18,

Report Required for: Assistant Executive Engineer,
Yelahanka Project Division,
BBMP, Bangalore.

Name of the Agency/Contractor*: Sri. BB Umesha (M/s SMLP Constructions & Asphalt).

**TEST RESULTS**

**Table 1: Properties of BC (Gr-2) Mix**

| Sl. No. | Test Property | *Test results obtained by Marshall method | Requirements of Bituminous Concrete, Grade-2 as per M.o.R.T&H (V Revision)-2013 Specifications |
|---|---|---|---|
| 1 | Marshall Stability (75 blows) (At 60°C), kgs. | **1368** | 900 |
| 2 | Marshall Flow at 60°C, mm. | **3.23** | 2.0 - 4.0 |

AE



KIRAN. R
M.E, (Civil-Engg)

For Newzen Consultants Bangalore

Proprietor

NEWZEN CONSULTANT BANGALORE, #13,10TH MAIN ROAD 2ND CROSS JNANAJYOTHI NAGARA,
JNANABHARATHI, BANGALORE-560056. CELL NO: +91 8792620231, 080 23240187
EMAIL:newzen576@gmail.com

Newzen Consultants Bangalore

NZ/QC/YPD/T&F-W3/2018-19/P1-BC9

Date: 22-05-2018

**1.TEST REPORT ON BITUMINOUS MIXES :**

**(BITUMEN EXTRACTION TEST & GRADATION TEST)**

**Sub**: To determine the percentage of bitumen and gradation for BC mix sample.

{Project*: Pkg 1, 1.Improvement of drains and resurfacing to roads in SFS 208 area in ward no.03, Attur.
2.Improvement of drains and resurfacing to roads in SFS 407 area in ward no.03, Attur.
3.Improvement of drains and resurfacing to roads in SFS 707 area in ward no.03, Attur.
4.Improvement of drains and resurfacing to roads in Industrial area in ward no.03, Attur.
5.Improvement of Roads and drains in CHS 707 area in ward no.03, Attur.}

**Ref.**: Material testing/PMC/17-18,

Report Required for: Assistant Executive Engineer,
Yelahanka Project Division,
BBMP, Bangalore.

Name of the Agency/Contractor*: Sri. BB Umesha (M/s SMLP Constructions & Asphalt).

## TEST RESULTS

A. Type of Construction : **Bituminous Concrete**

1. The bitumen content obtained after subjecting the sample for Bitumen Extraction test = **5.42 %**

2. **Gradation Test**

**TABLE 1.1**

| Sieve Size, mm | Percent by Weight passing the Sieve from the sample supplied (Obtained Gradation) | Gradation requirement as per Table 500-17 of MORTH Specfications-2013 BC (Grading - 2) |
|---|---|---|
| 19.0 | 100 | 100 |
| 13.2 | 97.45 | 90-100 |
| 9.5 | 83.89 | 70-88 |
| 4.75 | 66.97 | 53-71 |
| 2.36 | 55.46 | 42-58 |
| 1.18 | 43.13 | 34-48 |
| 0.600 | 33.89 | 26-38 |
| 0.300 | 26.98 | 18-28 |
| 0.150 | 16.87 | 12-20 |
| 0.075 | 7.89 | 4-10 |

KIRAN. R
M.E, (Civil-Engg)

For Newzen Consultants Bangalore

Proprietor

AE



NEWZEN CONSULTANT BANGALORE, #13,10TH MAIN ROAD 2ND CROSS JNANAJYOTHI NAGARA,
JNANABHARATHI, BANGALORE-560056. CELL NO: +91 8792620231, 080 23240187
EMAIL:newzen576@gmail.com

Newzen Consultants Bangalore

NZ/QC/YPD/T&F-W3/2018-19/P1-BS9

Date: 23-05-2018

**1.TEST REPORT ON BITUMINOUS MIXES :**

**(STABILITY OF BITUMINOUS MIX)**

**Sub**: To determine the stability of bituminous mix for BC mix sample.

{Project*: Pkg 1, 1.Improvement of drains and resurfacing to roads in SFS 208 area in ward no.03, Attur.
2.Improvement of drains and resurfacing to roads in SFS 407 area in ward no.03, Attur.
3.Improvement of drains and resurfacing to roads in SFS 707 area in ward no.03, Attur.
4.Improvement of drains and resurfacing to roads in Industrial area in ward no.03, Attur.
5.Improvement of Roads and drains in CHS 707 area in ward no.03, Attur.}

**Ref.**: Material testing/PMC/17-18,

Report Required for: Assistant Executive Engineer,
Yelahanka Project Division,
BBMP, Bangalore.

Name of the Agency/Contractor*: Sri. BB Umesha (M/s SMLP Constructions & Asphalt).

**TEST RESULTS**

**Table 1: Properties of BC (Gr-2) Mix**

| Sl. No. | Test Property | *Test results obtained by Marshall method | Requirements of Bituminous Concrete, Grade-2 as per M.o.R.T&H (V Revision)-2013 Specifications |
|---|---|---|---|
| 1 | Marshall Stability (75 blows) (At 60°C), kgs. | **1374** | 900 |
| 2 | Marshall Flow at 60°C, mm. | **2.98** | 2.0 - 4.0 |

AE

KIRAN. R
M.E, (Civil-Engg)



For Newzen Consultants Bangalore

Proprietor

NEWZEN CONSULTANT BANGALORE, #13,10TH MAIN ROAD 2ND CROSS JNANAJYOTHI NAGARA,
JNANABHARATHI, BANGALORE-560056. CELL NO: +91 8792620231, 080 23240187
EMAIL:newzen576@gmail.com

Newzen Consultants Bangalore

NZ/QC/YPD/T&F-W3/2018-19/P1-BC10

Date: 22-05-2018

**1.TEST REPORT ON BITUMINOUS MIXES :**

**(BITUMEN EXTRACTION TEST & GRADATION TEST)**

**Sub**: To determine the percentage of bitumen and gradation for BC mix sample.

{Project*: Pkg 1, 1.Improvement of drains and resurfacing to roads in SFS 208 area in ward no.03, Attur.
2.Improvement of drains and resurfacing to roads in SFS 407 area in ward no.03, Attur.
3.Improvement of drains and resurfacing to roads in SFS 707 area in ward no.03, Attur.
4.Improvement of drains and resurfacing to roads in Industrial area in ward no.03, Attur.
5.Improvement of Roads and drains in CHS 707 area in ward no.03, Attur.}

**Ref.**: Material testing/PMC/17-18,

Report Required for: Assistant Executive Engineer,
Yelahanka Project Division,
BBMP, Bangalore.

Name of the Agency/Contractor*: Sri. BB Umesha (M/s SMLP Constructions & Asphalt).

## TEST RESULTS

A. Type of Construction : **Bituminous Concrete**

1. The bitumen content obtained after subjecting the sample for Bitumen Extraction test = **5.43 %**

2. **Gradation Test**

**TABLE 1.1**

| Sieve Size, mm | Percent by Weight passing the Sieve from the sample supplied (Obtained Gradation) | Gradation requirement as per Table 500-17 of MORTH Specfications-2013 BC (Grading - 2) |
|---|---|---|
| 19.0 | **100** | 100 |
| 13.2 | **97.87** | 90-100 |
| 9.5 | **84.44** | 70-88 |
| 4.75 | **66.98** | 53-71 |
| 2.36 | **55.67** | 42-58 |
| 1.18 | **43.89** | 34-48 |
| 0.600 | **33.76** | 26-38 |
| 0.300 | **25.15** | 18-28 |
| 0.150 | **17.58** | 12-20 |
| 0.075 | **7.80** | 4-10 |

KIRAN. R
M.E, (Civil-Engg)

AE



For Newzen Consultants Bangalore

Proprietor

NEWZEN CONSULTANT BANGALORE, #13,10TH MAIN ROAD 2ND CROSS JNANAJYOTHI NAGARA,
JNANABHARATHI, BANGALORE-560056. CELL NO: +91 8792620231, 080 23240187
EMAIL:newzen576@gmail.com

Newzen Consultants Bangalore

NZ/QC/YPD/T&F-W3/2018-19/P1-BS10

Date: 23-05-2018

**1.TEST REPORT ON BITUMINOUS MIXES :**
**(STABILITY OF BITUMINOUS MIX)**

**Sub**: To determine the stability of bituminous mix for BC mix sample.

{Project*: Pkg 1, 1.Improvement of drains and resurfacing to roads in SFS 208 area in ward no.03, Attur.
2.Improvement of drains and resurfacing to roads in SFS 407 area in ward no.03, Attur.
3.Improvement of drains and resurfacing to roads in SFS 707 area in ward no.03, Attur.
4.Improvement of drains and resurfacing to roads in Industrial area in ward no.03, Attur.
5.Improvement of Roads and drains in CHS 707 area in ward no.03, Attur.}

**Ref.**: Material testing/PMC/17-18,

Report Required for: Assistant Executive Engineer,
Yelahanka Project Division,
BBMP, Bangalore.

Name of the Agency/Contractor*: Sri. BB Umesha (M/s SMLP Constructions & Asphalt).

## TEST RESULTS

**Table 1: Properties of BC (Gr-2) Mix**

| Sl. No. | Test Property | *Test results obtained by Marshall method | Requirements of Bituminous Concrete, Grade-2 as per M.o.R.T&H (V Revision)-2013 Specifications |
|---|---|---|---|
| 1 | Marshall Stability (75 blows) (At 60°C), kgs. | **1298** | 900 |
| 2 | Marshall Flow at 60°C, mm. | **3.42** | 2.0 - 4.0 |

AE

KIRAN. R
M.E, (Civil-Engg)



For Newzen Consultants Bangalore

Proprietor

NEWZEN CONSULTANT BANGALORE, #13,10TH MAIN ROAD 2ND CROSS JNANAJYOTHI NAGARA,
JNANABHARATHI, BANGALORE-560056. CELL NO: +91 8792620231, 080 23240187
EMAIL:newzen576@gmail.com

Newzen Consultants Bangalore

NZ/QC/YPD/T&F-W3/2018-19/P1-CB3 Date: 22-05-2018

## 1. TEST REPORT ON COARSE AGGREGATE:

**Sub**: Testing of Coarse Aggregate used in Bituminous Concrete.
{Project*: Pkg 1, 1.Improvement of drains and resurfacing to roads in SFS 208 area in ward no.03, Attur.
2.Improvement of drains and resurfacing to roads in SFS 407 area in ward no.03, Attur.
3.Improvement of drains and resurfacing to roads in SFS 707 area in ward no.03, Attur.
4.Improvement of drains and resurfacing to roads in Industrial area in ward no.03, Attur.
5.Improvement of Roads and drains in CHS 707 area in ward no.03, Attur.}
**Ref.**: Material testing/PMC/17-18,
Report Required for: Assistant Executive Engineer,
Yelahanka Project Division,
BBMP, Bangalore.
Name of the Agency/Contractor*: Sri. BB Umesha (M/s SMLP Constructions & Asphalt).

**TABLE 1.1 ;**

| SL No | Test conducted | Test Results | Tests Conforms to IS 2386( Part I to IV)–1963 ( Reaffirmed on 2002) & Requirements as per IS:383-1970 & M.o.R.T.H Specification, V Revision -2013. |
|---|---|---|---|
| 1. | Aggregate Impact Value | **23.57 %** | Not more than 24.00 % |
| 2. | Combined Flakiness and Elongation index, % | **26.84 %** | Not more than 35.0 % |
| 3. | Water absorption, % | **0.42 %** | Not more than 2.0 % |
| 4. | Specific gravity | **2.63** | ------- |
| 5. | Soundness | **6.54 %** | Max. 12 % in Sodium Sulphate |

KIRAN. R
M.E, (Civil-Engg)

AE



For Newzen Consultants Bangalore

Proprietor

NEWZEN CONSULTANT BANGALORE, #13,10TH MAIN ROAD 2ND CROSS JNANAJYOTHI NAGARA,
JNANABHARATHI, BANGALORE-560056. CELL NO: +91 8792620231, 080 23240187
EMAIL:newzen576@gmail.com

Newzen Consultants Bangalore

NZ/QC/YPD/T&F-W3/2018-19/P1-BC11 Date: 23-05-2018

**1.TEST REPORT ON BITUMINOUS MIXES :**

**(BITUMEN EXTRACTION TEST & GRADATION TEST)**

**Sub**: To determine the percentage of bitumen and gradation for BC mix sample.

{Project*: Pkg 1, 1.Improvement of drains and resurfacing to roads in SFS 208 area in ward no.03, Attur.
2.Improvement of drains and resurfacing to roads in SFS 407 area in ward no.03, Attur.
3.Improvement of drains and resurfacing to roads in SFS 707 area in ward no.03, Attur.
4.Improvement of drains and resurfacing to roads in Industrial area in ward no.03, Attur.
5.Improvement of Roads and drains in CHS 707 area in ward no.03, Attur.}

**Ref.**: Material testing/PMC/17-18,

Report Required for: Assistant Executive Engineer,
Yelahanka Project Division,
BBMP, Bangalore.

Name of the Agency/Contractor*: Sri. BB Umesha (M/s SMLP Constructions & Asphalt)..

**TEST RESULTS**

A. Type of Construction : **Bituminous Concrete**

1. The bitumen content obtained after subjecting the sample for Bitumen Extraction test = **5.45 %**

2. **Gradation Test**

**TABLE 1.1**

| Sieve Size, mm | Percent by Weight passing the Sieve from the sample supplied (Obtained Gradation) | Gradation requirement as per Table 500-17 of MORTH Specfications-2013 BC (Grading - 2) |
|---|---|---|
| 19.0 | **100** | 100 |
| 13.2 | **97.88** | 90-100 |
| 9.5 | **84.78** | 70-88 |
| 4.75 | **66.59** | 53-71 |
| 2.36 | **55.23** | 42-58 |
| 1.18 | **43.89** | 34-48 |
| 0.600 | **33.87** | 26-38 |
| 0.300 | **25.69** | 18-28 |
| 0.150 | **17.76** | 12-20 |
| 0.075 | **7.89** | 4-10 |

KIRAN. R
M.E, (Civil-Engg)

AE



For Newzen Consultants Bangalore

Proprietor

NEWZEN CONSULTANT BANGALORE, #13,10TH MAIN ROAD 2ND CROSS JNANAJYOTHI NAGARA,
JNANABHARATHI, BANGALORE-560056. CELL NO: +91 8792620231, 080 23240187
EMAIL:newzen576@gmail.com

NZ/QC/YPD/T&F-W3/2018-19/P1-BS11 Date: 24-05-2018

**1.TEST REPORT ON BITUMINOUS MIXES :**

**(STABILITY OF BITUMINOUS MIX)**

**Sub**: To determine the stability of bituminous mix for BC mix sample.

{Project*: Pkg 1, 1.Improvement of drains and resurfacing to roads in SFS 208 area in ward no.03, Attur.
2.Improvement of drains and resurfacing to roads in SFS 407 area in ward no.03, Attur.
3.Improvement of drains and resurfacing to roads in SFS 707 area in ward no.03, Attur.
4.Improvement of drains and resurfacing to roads in Industrial area in ward no.03, Attur.
5.Improvement of Roads and drains in CHS 707 area in ward no.03, Attur.}

**Ref.**: Material testing/PMC/17-18,

Report Required for: Assistant Executive Engineer,
Yelahanka Project Division,
BBMP, Bangalore.

Name of the Agency/Contractor*: Sri. BB Umesha (M/s SMLP Constructions & Asphalt).

**TEST RESULTS**

**Table 1: Properties of BC (Gr-2) Mix**

| Sl. No. | Test Property | *Test results obtained by Marshall method | Requirements of Bituminous Concrete, Grade-2 as per M.o.R.T&H (V Revision)-2013 Specifications |
|---|---|---|---|
| 1 | Marshall Stability (75 blows) (At 60°C), kgs. | **1386** | 900 |
| 2 | Marshall Flow at 60°C, mm. | **3.12** | 2.0 - 4.0 |

AE

KIRAN. R
M.E, (Civil-Engg)



For Newzen Consultants Bangalore

Proprietor

NEWZEN CONSULTANT BANGALORE, #13,10TH MAIN ROAD 2ND CROSS JNANAJYOTHI NAGARA,
JNANABHARATHI, BANGALORE-560056. CELL NO: +91 8792620231, 080 23240187
EMAIL:newzen576@gmail.com

Newzen Consultants Bangalore

NZ/QC/YPD/T&F-W3/2018-19/P1-BC12

Date: 23-05-2018

**1.TEST REPORT ON BITUMINOUS MIXES :**

**(BITUMEN EXTRACTION TEST & GRADATION TEST)**

**Sub**: To determine the percentage of bitumen and gradation for BC mix sample.

{Project*: Pkg 1, 1.Improvement of drains and resurfacing to roads in SFS 208 area in ward no.03, Attur.
2.Improvement of drains and resurfacing to roads in SFS 407 area in ward no.03, Attur.
3.Improvement of drains and resurfacing to roads in SFS 707 area in ward no.03, Attur.
4.Improvement of drains and resurfacing to roads in Industrial area in ward no.03, Attur.
5.Improvement of Roads and drains in CHS 707 area in ward no.03, Attur.}

**Ref.**: Material testing/PMC/17-18,

Report Required for: Assistant Executive Engineer,
Yelahanka Project Division,
BBMP, Bangalore.

Name of the Agency/Contractor*: Sri. BB Umesha (M/s SMLP Constructions & Asphalt).

## TEST RESULTS

A. Type of Construction : **Bituminous Concrete**

1. The bitumen content obtained after subjecting the sample for Bitumen Extraction test = **5.44 %**

2. **Gradation Test**

**TABLE 1.1**

| Sieve Size, mm | Percent by Weight passing the Sieve from the sample supplied (Obtained Gradation) | Gradation requirement as per Table 500-17 of MORTH Specfications-2013 BC (Grading - 2) |
|---|---|---|
| 19.0 | 100 | 100 |
| 13.2 | 97.83 | 90-100 |
| 9.5 | 84.12 | 70-88 |
| 4.75 | 66.78 | 53-71 |
| 2.36 | 55.16 | 42-58 |
| 1.18 | 43.45 | 34-48 |
| 0.600 | 33.15 | 26-38 |
| 0.300 | 24.86 | 18-28 |
| 0.150 | 17.10 | 12-20 |
| 0.075 | 6.89 | 4-10 |

KIRAN. R
M.E. (Civil-Engg)

AE

For Newzen Consultants Bangalore

Proprietor



NEWZEN CONSULTANT BANGALORE, #13,10TH MAIN ROAD 2ND CROSS JNANAJYOTHI NAGARA,
JNANABHARATHI, BANGALORE-560056. CELL NO: +91 8792620231, 080 23240187
EMAIL:newzen576@gmail.com

Newzen Consultants Bangalore

NZ/QC/YPD/T&F-W3/2018-19/P1-BS12

Date: 24-05-2018

**1.TEST REPORT ON BITUMINOUS MIXES :**

**(STABILITY OF BITUMINOUS MIX)**

**Sub**: To determine the stability of bituminous mix for BC mix sample.

{Project*: Pkg 1, 1.Improvement of drains and resurfacing to roads in SFS 208 area in ward no.03, Attur.
2.Improvement of drains and resurfacing to roads in SFS 407 area in ward no.03, Attur.
3.Improvement of drains and resurfacing to roads in SFS 707 area in ward no.03, Attur.
4.Improvement of drains and resurfacing to roads in Industrial area in ward no.03, Attur.
5.Improvement of Roads and drains in CHS 707 area in ward no.03, Attur.}

**Ref.**: Material testing/PMC/17-18,

Report Required for: Assistant Executive Engineer,
Yelahanka Project Division,
BBMP, Bangalore.

Name of the Agency/Contractor*: Sri. BB Umesha (M/s SMLP Constructions & Asphalt).

## TEST RESULTS

**Table 1: Properties of BC (Gr-2) Mix**

| Sl. No. | Test Property | *Test results obtained by Marshall method | Requirements of Bituminous Concrete, Grade-2 as per M.o.R.T&H (V Revision)-2013 Specifications |
|---|---|---|---|
| 1 | Marshall Stability (75 blows) (At 60°C), kgs. | **1352** | 900 |
| 2 | Marshall Flow at 60°C, mm. | **3.58** | 2.0 - 4.0 |

AE



KIRAN. R
M.E, (Civil-Engg)

For Newzen Consultants Bangalore

Proprietor

NEWZEN CONSULTANT BANGALORE, #13,10TH MAIN ROAD 2ND CROSS JNANAJYOTHI NAGARA,
JNANABHARATHI, BANGALORE-560056. CELL NO: +91 8792620231, 080 23240187
EMAIL:newzen576@gmail.com

Newzen Consultants Bangalore

NZ/QC/YPD/T&F-W3/2018-19/P1-BC13

Date: 24-05-2018

## 1.TEST REPORT ON BITUMINOUS MIXES :
## (BITUMEN EXTRACTION TEST & GRADATION TEST)

**Sub**: To determine the percentage of bitumen and gradation for BC mix sample.

{Project*: Pkg 1, 1.Improvement of drains and resurfacing to roads in SFS 208 area in ward no.03, Attur.
2.Improvement of drains and resurfacing to roads in SFS 407 area in ward no.03, Attur.
3.Improvement of drains and resurfacing to roads in SFS 707 area in ward no.03, Attur.
4.Improvement of drains and resurfacing to roads in Industrial area in ward no.03, Attur.
5.Improvement of Roads and drains in CHS 707 area in ward no.03, Attur.}

**Ref.**: Material testing/PMC/17-18,

Report Required for: Assistant Executive Engineer,
Yelahanka Project Division,
BBMP, Bangalore.

Name of the Agency/Contractor*: Sri. BB Umesha (M/s SMLP Constructions & Asphalt).

## TEST RESULTS

A. Type of Construction : **Bituminous Concrete**

1. The bitumen content obtained after subjecting the sample for Bitumen Extraction test = **5.46 %**

2. **Gradation Test**

**TABLE 1.1**

| Sieve Size, mm | Percent by Weight passing the Sieve from the sample supplied (Obtained Gradation) | Gradation requirement as per Table 500-17 of MORTH Specfications-2013 BC (Grading - 2) |
|---|---|---|
| 19.0 | 100 | 100 |
| 13.2 | 95.33 | 90-100 |
| 9.5 | 84.56 | 70-88 |
| 4.75 | 66.48 | 53-71 |
| 2.36 | 55.77 | 42-58 |
| 1.18 | 43.34 | 34-48 |
| 0.600 | 34.87 | 26-38 |
| 0.300 | 25.97 | 18-28 |
| 0.150 | 16.45 | 12-20 |
| 0.075 | 7.15 | 4-10 |

KIRAN. R
M.E. (Civil-Engg)

AE



For Newzen Consultants Bangalore

Proprietor

NEWZEN CONSULTANT BANGALORE, #13,10TH MAIN ROAD 2ND CROSS JNANAJYOTHI NAGARA,
JNANABHARATHI, BANGALORE-560056. CELL NO: +91 8792620231, 080 23240187
EMAIL:newzen576@gmail.com

Newzen Consultants Bangalore

NZ/QC/YPD/T&F-W3/2018-19/P1-BS13

Date: 25-05-2018

**1.TEST REPORT ON BITUMINOUS MIXES :**

**(STABILITY OF BITUMINOUS MIX)**

**Sub**: To determine the stability of bituminous mix for BC mix sample.

{Project*: Pkg 1, 1.Improvement of drains and resurfacing to roads in SFS 208 area in ward no.03, Attur.
2.Improvement of drains and resurfacing to roads in SFS 407 area in ward no.03, Attur.
3.Improvement of drains and resurfacing to roads in SFS 707 area in ward no.03, Attur.
4.Improvement of drains and resurfacing to roads in Industrial area in ward no.03, Attur.
5.Improvement of Roads and drains in CHS 707 area in ward no.03, Attur.}

**Ref.**: Material testing/PMC/17-18,

Report Required for: Assistant Executive Engineer,
Yelahanka Project Division,
BBMP, Bangalore.

Name of the Agency/Contractor*: Sri. BB Umesha (M/s SMLP Constructions & Asphalt).

**TEST RESULTS**

**Table 1: Properties of BC (Gr-2) Mix**

| Sl. No. | Test Property | *Test results obtained by Marshall method | Requirements of Bituminous Concrete, Grade-2 as per M.o.R.T&H (V Revision)-2013 Specifications |
|---|---|---|---|
| 1 | Marshall Stability (75 blows) (At 60°C), kgs. | **1343** | 900 |
| 2 | Marshall Flow at 60°C, mm. | **3.87** | 2.0 - 4.0 |

AE

KIRAN. R
M.E, (Civil-Engg)



For Newzen Consultants Bangalore

Proprietor

NEWZEN CONSULTANT BANGALORE, #13,10TH MAIN ROAD 2ND CROSS JNANAJYOTHI NAGARA,
JNANABHARATHI, BANGALORE-560056. CELL NO: +91 8792620231, 080 23240187
EMAIL:newzen576@gmail.com

Newzen Consultants Bangalore

NZ/QC/YPD/T&F-W3/2018-19/P1-BC14

Date: 24-05-2018

## 1.TEST REPORT ON BITUMINOUS MIXES :
## (BITUMEN EXTRACTION TEST & GRADATION TEST)

**Sub**: To determine the percentage of bitumen and gradation for BC mix sample.

{Project*: Pkg 1, 1.Improvement of drains and resurfacing to roads in SFS 208 area in ward no.03, Attur.
2.Improvement of drains and resurfacing to roads in SFS 407 area in ward no.03, Attur.
3.Improvement of drains and resurfacing to roads in SFS 707 area in ward no.03, Attur.
4.Improvement of drains and resurfacing to roads in Industrial area in ward no.03, Attur.
5.Improvement of Roads and drains in CHS 707 area in ward no.03, Attur.}

**Ref.**: Material testing/PMC/17-18,

Report Required for: Assistant Executive Engineer,
Yelahanka Project Division,
BBMP, Bangalore.

Name of the Agency/Contractor*: Sri. BB Umesha (M/s SMLP Constructions & Asphalt).

## TEST RESULTS

A. Type of Construction : **Bituminous Concrete**

1. The bitumen content obtained after subjecting the sample for Bitumen Extraction test = **5.43 %**

2. **Gradation Test**

**TABLE 1.1**

| Sieve Size, mm | Percent by Weight passing the Sieve from the sample supplied (Obtained Gradation) | Gradation requirement as per Table 500-17 of MORTH Specfications-2013 BC (Grading - 2) |
|---|---|---|
| 19.0 | **100** | 100 |
| 13.2 | **95.76** | 90-100 |
| 9.5 | **84.67** | 70-88 |
| 4.75 | **66.89** | 53-71 |
| 2.36 | **55.67** | 42-58 |
| 1.18 | **43.89** | 34-48 |
| 0.600 | **33.43** | 26-38 |
| 0.300 | **25.65** | 18-28 |
| 0.150 | **16.56** | 12-20 |
| 0.075 | **7.46** | 4-10 |

KIRAN. R
M.E. (Civil-Engg)

AE



For Newzen Consultants Bangalore

Proprietor

NEWZEN CONSULTANT BANGALORE, #13,10TH MAIN ROAD 2ND CROSS JNANAJYOTHI NAGARA,
JNANABHARATHI, BANGALORE-560056. CELL NO: +91 8792620231, 080 23240187
EMAIL:newzen576@gmail.com

Newzen Consultants Bangalore

NZ/QC/YPD/T&F-W3/2018-19/P1-BS14

Date: 25-05-2018

**1.TEST REPORT ON BITUMINOUS MIXES :**

**(STABILITY OF BITUMINOUS MIX)**

**Sub**: To determine the stability of bituminous mix for BC mix sample.

{Project*: Pkg 1, 1.Improvement of drains and resurfacing to roads in SFS 208 area in ward no.03, Attur.
2.Improvement of drains and resurfacing to roads in SFS 407 area in ward no.03, Attur.
3.Improvement of drains and resurfacing to roads in SFS 707 area in ward no.03, Attur.
4.Improvement of drains and resurfacing to roads in Industrial area in ward no.03, Attur.
5.Improvement of Roads and drains in CHS 707 area in ward no.03, Attur.}

**Ref.**: Material testing/PMC/17-18,

Report Required for: Assistant Executive Engineer,
Yelahanka Project Division,
BBMP, Bangalore.

Name of the Agency/Contractor*: Sri. BB Umesha (M/s SMLP Constructions & Asphalt).

**TEST RESULTS**

**Table 1: Properties of BC (Gr-2) Mix**

| Sl. No. | Test Property | *Test results obtained by Marshall method | Requirements of Bituminous Concrete, Grade-2 as per M.o.R.T&H (V Revision)-2013 Specifications |
|---|---|---|---|
| 1 | Marshall Stability (75 blows) (At 60°C), kgs. | **1295** | 900 |
| 2 | Marshall Flow at 60°C, mm. | **3.65** | 2.0 - 4.0 |

AE

KIRAN. R
M.E, (Civil-Engg)



For Newzen Consultants Bangalore

Proprietor

NEWZEN CONSULTANT BANGALORE, #13,10TH MAIN ROAD 2ND CROSS JNANAJYOTHI NAGARA,
JNANABHARATHI, BANGALORE-560056. CELL NO: +91 8792620231, 080 23240187
EMAIL:newzen576@gmail.com